

AFOSR 67-2070

PRELIMINARY STUDY OF THE AFTERSHOCKS IN THE CENTRAL ANDES

Ramón Cabré, S.J.
Observatorio San Calixto
La Paz, Bolivia


Grant AF-AFOSR 792-65

Scientific Report No. 1

Work Sponsored by Advanced Research Projects Agency
Project Vela-Uniform

ARPA Order No. 612 & Amendment 1

Distribution of this
document is unlimited



AD658205

**BEST
AVAILABLE COPY**

PRELIMINARY STUDY OF THE AFTERSHOCKS IN THE CENTRAL ANDES

Ramón Cabré, S.J.
Observatorio San Calixto
La Paz, Bolivia

Grant AF-AFOSR 792-65

Scientific Report No. 1

Work Sponsored by Advanced Research Projects Agency
Project Vela-Uniform

ARPA Order No. 6124 Amendment 1

PRELIMINARY STUDY OF THE AFTERSHOCKS IN THE CENTRAL ANDES

by Ramón Cabré S.J.

Observatorio San Calixto - La Paz (Bolivia)

ABSTRACT

The aftershocks located in the Central Andes between January 1950 and June 1963 are considered. It appears that data in that period were too scarce to obtain a number of locations sufficient to give satisfactory results by this method; this region has most of earthquakes deeper than normal, which prevents a fuller use of the method; nevertheless it may give acceptable results if applied to the last years.

INTRODUCTION

The study of the sequences of aftershocks is one of the tools used to investigate regional seismicities.

The main goal of this paper is to prepare a deeper study, excluding the possibility of anomalous response of the region, considering if data available will support a satisfactory study and obtaining a provisory knowledge of the regional behavior in relation to the aftershocks sequences.

EVENTS CONSIDERED

The area covered by this study extends from Latitude 0° to 30° and from 60° W to 81.5° W. The selection of these limits in Longitude is quite natural, since the seismic activity diminishes on both sides of the Andes and apparently it disappears completely in the aseismical regions of Eastern South America and of the Pacific Ocean.

The earthquakes between January 1950 and June 1963 are considered; they are taken from a compilation of locations prepared by the U.S. Coast and Geodetic Survey (Reference 1). During these 13 and a half years seismological stations were so

scarce in South America that a location of low magnitude seisms was impossible.

In total 793 earthquakes were located in the Central Andes, among them 91 of magnitude 6 or more; these 91 and their aftershocks have been examined; see table 1. Table 2 and fig. 1 show the distribution of these 91 earthquakes according to their magnitude.

In many instances it is impossible to know if an earthquake is related to another as an aftershock or not; to prevent any arbitrary selection of aftershocks, only events during the 48 hours after the main shock and not further than 5 degrees (550 Km.) are considered aftershocks. The possibility of dependence of some events much later and much further is acknowledged, but it is well known that most of the remaining strain is released shortly after the main shock and not too far from it; so the probability of a large aftershock beyond these limits is negligible for a statistical study as the present.

Among the 91 earthquakes of large magnitude we find 22 followed by aftershocks, the aftershocks total being 32.

COMPARISON WITH BATH'S LAWS

Bath has noted that for shallow shocks the highest magnitude of an aftershock as an average is 1.2 smaller than the magnitude of the main shock; this statement is known as "Bath's law" (2).

It is not very useful in our case since only 35 shocks were shallow (even including in this figure all the 20 for which depth was not given, which on the other hand seems correct, since generally depth was not mentioned in sources when it was supposed normal).

More recently Bath has studied special cases trying to include them in generalized rules(3). He proposes a tentative rule for the case of several shocks of the same magnitude:

$$M - M_1 = 1.2 + \frac{\log(N_1/N)}{1.2^2}$$

where M = magnitude of the main shocks, M_1 = magnitude of the largest aftershocks, N = number of equally large main shocks, N_1 = number of largest aftershocks.

Finally, if the main shock is deep, Bath's theory gives a difference between the main shock and the largest aftershock greater than for a surface focus; he proposes as a very tentative rule:

$$M - M_1 = \frac{2}{3}h + 1$$

the depth h being measured in units of 100 Km; in our study 55 events of magnitude 6 or more are 100 deep (or more).

Combining the three Bath's propositions, we obtain the formula:

$$M - M_1 = \frac{2}{3}h + \frac{\log(N_1/N)}{(\frac{2}{3}h + 1)^2} + 1$$

In table 1 there are four couples of similar magnitude earthquakes which now have to be considered as single events; thus the number of large earthquakes is reduced to 87, and 20 of them are followed by aftershocks.

The Bath's laws only state the maximum magnitude expected for the largest aftershock, but a major difficulty appears to apply to them: the magnitudes in the interval considered in this study were calculated only for large shocks. Therefore it is necessary to find a minimum magnitude permitting for an event to be located; then if the theoretical maximum is larger than this minimum calculated for a given earthquake, we shall say that this earthquake would have some aftershock determined.

Actually the minimum magnitude is not a naturally fixed limit. The author(4) has defined a "minimum compensated magnitude" derived from the statistical law applying to the number N of events of magnitude M or larger:

$$\log N = A - BM$$

After calculating $A = 8.25$, $B = 1.0$ for the interval of this study, the minimum compensated magnitude is obtained by changing

N by its value 793 in the above formula. M is found to be 5.35. Statistically it may be considered as a limit of magnitude over which any event should be located.

According to table 1, we should find located aftershocks for 22 earthquakes. The 20 cases observed yield a good agreement with these 22 expected as an average, but evidently these figures are much too small to support any definitive conclusion.

The correspondence between the actual single aftershocks and those expected is really poor, as it may be realized in fig. 2; deficiencies in locations and consequently in the application of the minimum compensated magnitude could be responsible of this lack of correspondence.

PREVISION FOR FUTURE STUDIES

Nowadays the conditions for the Central Andes are much improved for any seismological work, mainly because of the installation of new seismological stations, specifically those VELA Standard of U.S. Coast and Geodetic Survey and DTM of the Carnegie Institution of Washington.

Calculating the minimum compensated magnitude from June 1965 through May 1966, the author found the value 4.50, which means that the number of events expected to be located increases remarkably. Actually 59 large shocks (instead of 22) would support the expectation of having some aftershock located. Fig. 3 shows a comparison of seismic events located in the periods 1950-63 and 1965-66. Yet recently more stations are forwarding data.

Briefly, studies of aftershocks sequences will become much profitable when they will be done on events of last years.

CONCLUSIONS

The data available for the period 1950-1963 is insufficient for any definitive study of aftershocks in the Central Andes.

In this area good samples for aftershocks study are not too frequent, since most foci are deep, producing small aftershocks.

Nevertheless future studies of aftershocks sequences will encounter greater facilities.

ACKNOWLEDGMENT

This research is sponsored by the Air Force Office of Scientific Research, Office of Aerospace Research, United States Air Force, under AFOSR Grant N°792-65.

REFERENCES

- (1) USCGS.- Compilation of seismic locations appeared in: United States Earthquakes (Jan.1950-Dec.1960), ISS (Jan.1950-Dec. 1959), BCIS Bulletin (Jan.1950-Jun 1963).
- (2) Richter Ch.F.- Elementary Seismology.- Freeman and Co. 1958.
- (3) Bath, M.- International Upper Mantle Project. Report N°2, Dec. 1965.
- (4) Cabré R., S.J..- Location of Seismic Foci in the Central Andes during the Period 1950-63 and currently.- Geofísica Internacional. México. (in press).

Table 1.- Earthquakes of Magnitude 6 and their Aftershocks

N.B. Unless otherwise indicated, magnitudes were computed by Pasadena Laboratory, the other data by USCGS.

The date is given by Day, Month, Year; the actual aftershocks are indicated in the same column, instead of their date. The maximum magnitude expected according to Bath's rules is given in the last column.

<u>Date</u>	<u>Magn.</u>	<u>Lat.S</u>	<u>Long.W</u>	<u>Depth</u>	<u>Instit.</u>	<u>Max.Aft.Exp.</u>
14 3 50	6.75	8.0	74.0	150		4.75
21 5 50	6.0	14.0	72.0			4.8
7 6 50	7.13	4.0	76.5	100		5.5
9 7 50	7.0	8.0	71.0	650)		1.7
9 7 50	6.87	8.0	71.0	650)		
aft.	6.37	8.0	71.0	650		0.8
14 8 50	7.25	27.0	62.5	650		1.7
18 9 50	6.0	8.0	71.0	650		0.4
2 12 50	6.75	7.5	71.0	650		1.2
aft.		7.5	71.0	650		
9 12 50	7.88	24	67	100		6.3
aft.		25	68.5	200		
10 12 50	7.0	14	76	60		5.6
aft.		15	77			
11 12 50	6.25	8	71	650		0.6
28 12 50	6.25	7.5	71	650		0.7
4 3 51	6.87	15.5	74	150		4.9
14 4 51	7.0	24	66.5	250		4.3
23 4 51	6.38	20.5	67	250		3.7
9 11 51	6.75	22	68	100		5.1
26 2 52	7.5	15	69	250		4.8
24 5 52	6.75	21.5	71			5.5
21 9 52	7.2	22.0	65.5	300		4.2
aft.		20.5	67	150		
14 4 53	6.6	7.5	71.5	630		1.5
17 4 53	6.0	5.2	77.2			4.8
9 8 53	6.25	22	68.5	150		4.2
27 10 53	6.75	19	66	300		3.7
7 12 53	7.37	22	68.5	110		5.7
12 12 53	7.4	3.5	81			6.2
15 6 54	6.63	5	77	100		4.9
21 6 54	6.6	23	68.5	150		4.6
19 12 54	6.63	23	66.5	250		4.9
19 4 55	7.0	30	72			5.8
aft.		30	71			
aft.	6.5	30	72.5			5.3
aft.		30.5	72.5			
aft.		29.9	71.6		ISS	
11 5 55	5.75	0	78			5.5
21 7 55	6.75	15	74	100		5.0
17 11 55	6.75	26.5	69	60		5.3

Date	Magn.	Lat.S	Long.W	Depth	Instit.	MaxAft.Exp.
6 12 55	6.75	20	70			5.5
8 1 56	7.10	19	70			5.9
16 1 56	7.3	0.5	80.5			6.1
22 3 56	6.5	3.5	79	100		4.8
22 7 56	6.13	19	69	100		4.4
23 8 56	6.25	15	68	100		4.5
5 9 56	6.75	20	69	100		5.0
3 10 56	6.5	20	69.5	150		4.5
12 10 56	6.5	15.5	75	60		5.1
18 12 56	7	25.5	68.5	45	ISS	5.7
24 1 57	6.25	12.5	78			5.0
18 2 57	6.63	11.5	78	100		4.9
31 5 57	6.37	27.5	63	600		1.4
24 7 57	6.5	30	70.5	70	ISS	5.0
29 7 57	7.0	23.5	71.5	11	ISS	5.9
26 8 57	6.38	19	63			5.2
aft.		19	63			
26 8 57	6.0	2	81	34	ISS	4.8
29 11 57	7.8	21	66	200		5.5
15 1 58	7.3	16.5	72	60		5.9
28 4 58	6.5	11	74			5.3
30 4 58	6.0	21	67.5	150		4.0
8 5 58	6.38	24	67	200		4.1
25 5 58	6.5	3	77	100		4.8
aft.		3	77	100		
aft.		3.5	78.5			
29 6 58	6.5DRK	15.5	70.5	150		4.5
11 7 58	6.5	21	69	77	ISS	5.0
26 7 58	7.5	13.5	69	620		2.2
aft.		12.5	68	650	BCIS	
11 10 58	6.0	23.5	65	200		3.7
3 1 59	6.38MAT	14.5	75.5			5.2
7 2 59	7.38	4	81.5			6.2
12 5 59	6.75	23.5	64.5			5.5
aft.		20.5	63.5			
aft.		23.5	64.5		BCIS	
aft.		22.5	63.5			
21 5 59	6.0	28	69	60		4.6
14 6 59	7.38	20.5	68	100		5.7
6 7 59	6.75	26.5	61	600		1.9
6 7 59	6.88	26.5	61.5	600		
9 7 59	6.75	20.5	68.0	100		5.0
aft.		19	69			
19 7 59	7.0	15	70.5	200		4.7
aft.		15.5	71	20		
28 11 59	6.5	28.5	71			5.3
25 12 59	6.73	25.5	68.5	100		4.9
27 12 59	6.0	28	63	650		0.7
2 1 60	6.25	15.5	68	150		4.2
13 1 60	7.5	26	72	200		5.2
aft.	7.0	15	75	150		5.0
aft.	6.25	14.5	74.5	150		4.2
9 3 60	6.13	16.5	72.5	150		4.1

<u>Date</u>	<u>Magn.</u>	<u>Lat.S</u>	<u>Long.W</u>	<u>Depth</u>	<u>Instit.</u>	<u>Max.Aft.Exp.</u>
11 6 60	6.25	21	64.5	300		3.2
30 10 60	6.75	23.4	70.3	76)		
aft.		23.4	70.6	65)		
aft.		23.4	70.4	25)		5.4
10 60	6.75	22.9	58	60)		
20 11 60	6.75	8	81	55		5.4
aft.		6.5	80.7	73		
aft.		7.1	80.8	51		
2 12 60	6.75	24.6	69.7	19)		
12 60	6.75	24.4	69.5	46)		5.7
aft.		24.4	69.6	45		
aft.		24.3	69.6	51		
19 9 61	6.5	20.5	62.75	600	BCIS	1.5
18 4 62	6.25BRK	10.1	79.7			5.0
aft.		7	80		BCIS	
3 8 62	7.13	21.5	59	250	MOS	4.4
29 9 62	6.5	26	63	570	PEK	1.7
29 12 62	6.75	20	69.9	46	MOS	5.4
aft.		22.73	67.3	280	ANT	
13 4 63	6.38MAT	7.5	80		TAC	5.2
10 5 63	6.75	2.0	77.5		TAC	5.5

Table 2.- Number of Earthquakes per half a unit of Magnitude

Since M = 6

<u>Magnitude</u>	<u>Number of events</u>
6.0-6.4	26
6.5-6.9	41
7.0-7.4	20
7.5-7.9	3
8.0-8.4	1

Fig. 1.- Number of events per interval of $1/2$ unit of M .

Fig. 2.- Comparison of actual aftershocks and Bath's rules.

Fig. 3.- Monthly average of seisms located in the Central Andes.





Fig. 1.- Number of events per interval of $\frac{1}{2}$ unit of M .




SEISMS WITH $M \geq 6$



should have, and in fact have aftershocks located.



should have, but they have not.



have, but they should not.



neither should nor have.

Fig. 2.- Comparison of actual aftershocks and Bath's rules.




Fig. 3.- Monthly average of seisms located in the Central Andes.

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

Observatorio San Calixto
La Paz - Bolivia

2a. REPORT SECURITY CLASSIFICATION

Unclassified

2b. GROUP

3. REPORT TITLE

Preliminary Study of the Aftershocks in the Central Andes

4. DESCRIPTIVE NOTE: (Type of report and inclusive dates)

Scientific Interim

5. AUTHOR(S) (Last name, first name, initial)

Cabr , Ram n, S.J.

6. REPORT DATE

February 15, 1967

7a. TOTAL NO. OF PAGES

11

7b. NO. OF REFS

4

8a. CONTRACT OR GRANT NO.

AFOSR Grant N  792-65 ARPA or-
A. PROJECT NUMBER # 612 & Amend # 1

8652

C. 6250601R

9a. ORIGINATOR'S REPORT NUMBER(S)

Scientific Report N 1

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

10. AVAILABILITY/LIMITATION NOTICES

Distribution of this document is unlimited

11. SUPPLEMENTARY NOTES

Work sponsored by Advanced Research Projects Agency

12. SPONSORING MILITARY ACTIVITY

AFOSR (SRP6)
1400 Wilson Blvd.
Arlington, Va. 22209

13. ABSTRACT

The aftershocks located in the Central Andes between January 1950 and June 1963 are considered. It appears that data in that period were too scarce to obtain a number of locations sufficient to give satisfactory results by this method; this region has most of earthquakes deeper than normal, which prevents a fuller use of the method; nevertheless it may give acceptable results if applied to the last years.

Aftershock
Earthquake
Magnitude
Bath's law
Minimum compensated magnitude

[illegible]

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER. If appropriate, enter the applicable number of the contract or grant under which the report was written.

Bb, Bc, & Bd. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

96. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

Imposed by security classification, using standard statements such as:

- (1) "Qualified requests may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT.** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.